

CERTIFICATE FOR

PRODUCT CERTIFICATION SCHEME

Based on an audit and signed contract agreement,
TRANS CERTIFICATION & INSPECTION (TRANS),
it is hereby certified that

NAME AND ADDRESS (CERTIFICATE HOLDER)

VISTA ERAMAS SDN BHD
Mile 3 ½, Kg Merintaman,
P.O Box 102,
89857 Sipitang, Sabah.

NAME AND ADDRESS (MANUFACTURER)

VISTA ERAMAS SDN BHD
Mile 3 ½, Kg Merintaman,
P.O Box 102,
89857 Sipitang, Sabah

PLANT IDENTIFICATION

VESB-012-D-01

has complied with the requirements specified in the

MS EN 206: 2016, CIS 21: 2018 and the Certification Scheme Requirement of TRANS

under the Product Certification License Scheme

Validity Period:

This certificate is valid from **(27/09/2023)** to **(26/09/2024)**

Issue 1: Certified since 27/09/2023

The validity of Certificate is subject to regular surveillance audits.

Authorised by:



MOHD RIZAL KASSIM
DIRECTOR



FOR WEBSITE VIEW ONLY

Certification Mark:



BRAND: N/A

Particulars of Producer's Concrete Code	
Concrete Code	G30N
Type of concrete	Designed Concrete
Compressive strength class	C25/30
Water/ (cement + K x addition) ratio	0.47
Slump	100 ± 25 mm
Minimum cement content, kg/m ³	360
Maximum aggregate size, mm	20
Type of production	Initial Production
Type of batching plant	Dry Batching Plant (D)
Type of cement	Ordinary Portland Cement (CEM I 52.5N)
Type of admixture	1. RF671 – Retarding Admixture

Source of cement : Cement Industries (Sabah) Sdn Bhd (PPS Reg. No.: 1160229PK0104)
Source of coarse aggregate : Sipit Quarry Sdn Bhd (Sipit)
Source of fine aggregate : Nine Five Resources Sdn Bhd (Mesapol)
Source of admixture : Real Point East Malaysia Sdn Bhd
Source of water : Jabatan Air Negeri Sabah

End of list

*This page is not valid if it is not printed or displayed together with certificate on the front page
Page 2 of 2*