

CERTIFICATE FOR

PRODUCT CERTIFICATION SCHEME

Based on an audit and signed contract agreement,
TRANS CERTIFICATION & INSPECTION (TRANS),
it is hereby certified that

NAME AND ADDRESS (CERTIFICATE HOLDER)

BUILDCON-CIMACO CONCRETE SDN BHD
Unit 1-1, 1st Floor Menara Penang Garden,
42A, Jalan Sultan Ahmad Shah
10050, Penang.

NAME AND ADDRESS (MANUFACTURER)

BUILDCON-CIMACO CONCRETE SDN. BHD (N03 PLANT)
Sebahagian Plot 16,
Seksyen 1, Mukim Bandar Tanjong Pinang,
Daerah Timur Laut,
10470, Pulau Pinang.

PLANT IDENTIFICATION

BCC-07-W-7 (N03)

has complied with the requirements specified in the

MS EN 206: 2016, CIS 21: 2018 and the Certification Scheme Requirement of TRANS

under the Product Certification License Scheme

Validity Period:

This certificate is valid from **(06/07/2023)** to **(05/07/2024)**

Issue 1: Certified since 06/07/2023

The validity of Certificate is subject to regular surveillance audits.

Authorised by:




MANIZA BT MAMAT
MANAGING DIRECTOR



FOR WEBSITE VIEW ONLY

Certification Mark:



BRAND: N/A

Particulars of Producer's Concrete Code	
Concrete Code	S4050KG2
Type of concrete	Designed Concrete
Compressive strength class	C32/40
Water/ (cement + K x addition) ratio	0.44
Modified water/ cement ratio	0.45
Slump	100 ± 25 mm
Minimum cement content, kg/m ³	394
Maximum aggregate size, mm	20
Type of production	Initial Production
Type of batching plant	Wet Batching Plant (W)
Type of cement	Ordinary Portland Cement (CEM I 52.5N)
Type of admixture	1. Daracem SP1 – Superplasticising Admixture 2. WRDA 96 – Retarding Admixture

Source of cement	: Associated Pan Malaysia Cement Sdn Bhd (PPS Reg. No.: 1160229PK0104)
Source of coarse aggregate	: Batu Tiga Quarry Sdn Bhd (Juru)
Source of fine aggregate	: Batu Tiga Quarry Sdn Bhd (Juru) & Sam Lian Transport Sdn Bhd (Sungai Ular)
Source of admixture	: GCP Applied Technologies (Malaysia) Sdn Bhd
Source of water	: Perbadanan Bekalan Air Pulau Pinang (PBAPP)

End of list

This page is not valid if it is not printed or displayed together with certificate on the front page
Page 2 of 2