

CERTIFICATE FOR

PRODUCT CERTIFICATION SCHEME

Based on an audit and signed contract agreement,
TRANS CERTIFICATION & INSPECTION (TRANS),
it is hereby certified that

NAME AND ADDRESS (CERTIFICATE HOLDER)

MINI-MIX SDN BHD
1st Floor Wisma YTL Cement,
No. 2, Jalan Kilang 51/206,
46050 Petaling Jaya,
Selangor Darul Ehsan.

NAME AND ADDRESS (MANUFACTURER)

MINI-MIX SDN BHD (M01 PLANT)
Persiaran Iringan, Jalan Bayu 3,
Taman Iringan Bayu,
70300 Seremban,
Negeri Sembilan Darul Khusus.

PLANT IDENTIFICATION

MM-05-D-1 (M01)

has complied with the requirements specified in the

MS EN 206: 2016, CIS 21: 2018 and the Certification Scheme Requirement of TRANS

under the Product Certification License Scheme

Validity Period:

This certificate is valid from **(29/05/2023)** to **(28/05/2024)**

Issue 1: Certified since 29/05/2023

The validity of Certificate is subject to regular surveillance audits.

Authorised by:



MOHD RIZAL KASSIM
DIRECTOR



Certification Mark:



BRAND: N/A

Particulars of Producer's Concrete Code	
Concrete Code	N25500G2
Type of concrete	Designed Concrete
Compressive strength class	C20/25
Free water/cement ratio	0.62
Slump	100 ± 25 mm
Minimum cement content, kg/m ³	345
Maximum aggregate size, mm	20
Type of production	Initial Production
Type of batching plant	Dry Batching Plant (D)
Type of cement	Ordinary Portland Cement (CEM I 52.5N)
Type of admixture	WRDA 96 – Retarding Admixture

Source of cement : Perak-Hanjoong Simen Sdn Bhd (PPS Reg. No.: 1160217PK0101)
Source of coarse aggregate : Batu Tiga Quarry Sdn Bhd (Nilai)
Source of fine aggregate : Sungai Rambai Angkut Sdn Bhd (Batang Berjuntai)
Source of admixture : GCP Applied Technologies (Malaysia) Sdn Bhd
Source of water : Underground Water

End of list

*This page is not valid if it is not printed or displayed together with certificate on the front page
Page 2 of 2*