

CERTIFICATE FOR

**PRODUCT CERTIFICATION SCHEME**

Based on an audit and signed contract agreement,  
**TRANS CERTIFICATION & INSPECTION (TRANS)**,  
it is hereby certified that

***NAME AND ADDRESS (CERTIFICATE HOLDER)***

CH CONCRETE SDN. BHD.  
No.23, Batu 39, Jalan Kuala Pilah,  
72100 Bahau,  
Negeri Sembilan.

***NAME AND ADDRESS (MANUFACTURER)***

CH CONCRETE SDN. BHD. (Bahau Plant)  
No.23, Batu 39, Jalan Kuala Pilah,  
72100 Bahau,  
Negeri Sembilan.

***PLANT IDENTIFICATION***

CHCSB-05-D-01

has complied with the requirements specified in the

**MS EN 206: 2016, CIS 21: 2018 and the Certification Scheme Requirement of TRANS**

under the Product Certification License Scheme

Validity Period:

This certificate is valid from **(12/01/2024)** to **(11/01/2025)**

**Issue 1: Certified since 12/01/2024**

The validity of Certificate is subject to regular surveillance audits.



Authorised by:

**MURFARISHA SHAFIQA BINTI ZAINAL**  
**MANAGING DIRECTOR**

Certification Mark:



BRAND: N/A

Particulars of Producer's Concrete Code	
Concrete Code	G30N
Type of concrete	Designed Concrete
Compressive strength class	C25/30
Water/ (cement + K x addition) ratio	0.49
Slump	75 ± 25 mm
Minimum cement content, kg/m <sup>3</sup>	350
Maximum aggregate size, mm	20
Type of production	Initial Production
Type of batching plant	Dry Batching Plant (D)
Type of cement	Ordinary Portland Cement (CEM I 52.5N)
Type of admixture	Real Point Sdn Bhd- Water-reducing & Retarding Admixture

Source of cement : Negeri Sembilan Cement Industries Sdn Bhd (PPS Reg. No.: 1151029NS0054)

Source of coarse aggregate : Gemencheh Granite Sdn Bhd (Pekan)

Source of fine aggregate : PD Brick Sdn Bhd (Sungai Pahang)

Source of admixture : Real Point Sdn Bhd

Source of water : Syarikat Air Negeri Sembilan Sdn Bhd

End of list

*This page is not valid if it is not printed or displayed together with certificate on the front page  
Page 2 of 2*