

CERTIFICATE FOR

## PRODUCT CERTIFICATION SCHEME

Based on an audit and signed contract agreement,  
**TRANS CERTIFICATION & INSPECTION (TRANS)**,  
it is hereby certified that

***NAME AND ADDRESS (CERTIFICATE HOLDER)***

BUILDCON-CIMACO CONCRETE SDN BHD  
Unit 1-1, 1<sup>st</sup> Floor Menara Penang Garden,  
42A, Jalan Sultan Ahmad Shah  
10050, Penang.

***NAME AND ADDRESS (MANUFACTURER)***

BUILDCON-CIMACO CONCRETE SDN. BHD (N03 PLANT)  
Sebahagian Plot 16,  
Seksyen 1, Mukim Bandar Tanjung Pinang,  
Daerah Timur Laut,  
10470, Pulau Pinang.

***PLANT IDENTIFICATION***

BCC-07-W-7 (N03)

has complied with the requirements specified in the

**MS EN 206: 2016, C16 21: 2018 and the Certification Scheme Requirement of TRANS**

under the Product Certification License Scheme

Validity Period:

This certificate is valid from **(06/07/2024)** to **(05/07/2025)**

**Issue 1: Certified since 06/07/2023**

The validity of Certificate is subject to regular surveillance audits.



Authorised by:

**NURFARISHA SHAFIQA BINTI ZAINAL**  
**MANAGING DIRECTOR**

Certification Mark:



BRAND: N/A

Particulars of Producer's Concrete Code	
Concrete Code	S4050KG3
Type of concrete	Designed Concrete
Compressive strength class	C32/40
Water/ (cement + K x addition) ratio	0.44
Modified water/ cement ratio	0.45
Slump	100 ± 25 mm
Minimum cement content, kg/m <sup>3</sup>	394
Maximum aggregate size, mm	20
Type of production	Initial Production
Type of batching plant	Wet Batching Plant (W)
Type of cement	Ordinary Portland Cement (CEM I 52.5N)
Type of admixture	1. Daracem SP1 – Superplasticising Admixture 2. WRDA 96 – Retarding Admixture

Source of cement : Associated Pan Malaysia Cement Sdn Bhd (PPS Reg. No.: 1160229PK0104)

Source of coarse aggregate : Batu Tiga Quarry Sdn Bhd (Juru)

Source of fine aggregate : Batu Tiga Quarry Sdn Bhd (Juru) & Sam Lian Transport Sdn Bhd (Sungai Ular)

Source of admixture : GCP Applied Technologies (Malaysia) Sdn Bhd

Source of water : Perbadanan Bekalan Air Pulau Pinang (PBAPP)

**End of list**

*This page is not valid if it is not printed or displayed together with certificate on the front page*  
*Page 2 of 2*