

CERTIFICATE FOR

PRODUCT CERTIFICATION SCHEME

Based on an audit and signed contract agreement,
TRANS CERTIFICATION & INSPECTION (TRANS),
it is hereby certified that

NAME AND ADDRESS (CERTIFICATE HOLDER)

BUILDCON CONCRETE SDN BHD
1st Floor Wisma YTL Cement,
No. 2 Jalan Kilang 51/206,
46050 Petaling Jaya,
Selangor Darul Ehsan

NAME AND ADDRESS (MANUFACTURER)

BUILDCON CONCRETE SDN. BHD (B29 PLANT)
Lot 480588, Jalan Kerinchi Kiri 2, Kuala Lumpur,
Wilayah Persekutuan Kuala Lumpur,
59200 Kuala Lumpur.

PLANT IDENTIFICATION

BC-014-W-5(B29)

has complied with the requirements specified in the

MS EN 206: 2016, CIS 21: 2018 and the Certification Scheme Requirement of TRANS

under the Product Certification License Scheme

Validity Period:

This certificate is valid from **(17/01/2024)** to **(16/01/2025)**

Issue 1: Certified since 17/01/2024

The validity of Certificate is subject to regular surveillance audits.



Authorised by:

NURFARSHA SHAFIQA BINTI ZAINAL
MANAGING DIRECTOR

Certification Mark:



BRAND: N/A

Particulars of Producer's Concrete Code	
Concrete Code	S35600G2
Type of concrete	Designed Concrete
Compressive strength class	C28/35
Water/ (cement + K x addition) ratio	0.50
Modified water/ (cement + K x addition) ratio	0.51
Slump	125 ± 25 mm
Minimum cement content, kg/m ³	350
Maximum aggregate size, mm	20
Type of production	Initial Production
Type of batching plant	Wet Batching Plant (W)
Type of cement	Ordinary Portland Cement (CEM I 52.5N)
Type of admixture	1. Master Builders Solution MR1100-Superplasticising Admixture 2. Master Builders Solution MP322- Retarding Admixture

Source of cement : Perak Hanjoong Simen Sdn Bhd (PPS Reg. No.: 1160217PK0101)
Source of addition (Fly Ash) : Slag Cement Sdn Bhd (TNB Jana Manjung)
Source of coarse aggregate : Batu Tiga Quarry Sdn Bhd (Semenyih Quarry)
Source of fine aggregate : TNG Sdn Bhd (Batang Berjuntai)
Source of admixture : Master Builder Solution (M) Sdn Bhd
Source of water : Pengurusan Air Selangor Sdn Bhd (Air Selangor)

End of list

*This page is not valid if it is not printed or displayed together with certificate on the front page
Page 2 of 2*