

CERTIFICATE FOR

PRODUCT CERTIFICATION SCHEME

Based on an audit and signed contract agreement,
TRANS CERTIFICATION & INSPECTION (TRANS),
it is hereby certified that

NAME AND ADDRESS (CERTIFICATE HOLDER)

MAI CONCRETE & DEVELOPMENT SDN BHD
Lot 6184-A, Jalan Besar, Klant Halt 3,
35800 Slim River,
Perak Darul Ridzuan.

NAME AND ADDRESS (MANUFACTURER)

MAI CONCRETE & DEVELOPMENT SDN BHD (KY CONCRETE PLANT)
Lot 6184-A, Jalan Besar, Klant Halt 3,
35800 Slim River,
Perak Darul Ridzuan.

PLANT IDENTIFICATION

MCD5B-08-D-01

has complied with the requirements specified in the

MS EN 206: 2016, CIS 21: 2018 and the Certification Scheme Requirement of TRANS

under the Product Certification License Scheme

Validity Period:

This certificate is valid from **(17/01/2024)** to **(16/01/2025)**

Issue 1: Certified since 17/01/2024

The validity of Certificate is subject to regular surveillance audits.



Authorised by:

NURFARISHA SHAFIQA BINTI ZAINAL
MANAGING DIRECTOR

Certification Mark:



BRAND: N/A

Particulars of Producer's Concrete Code	
Concrete Code	G30N
Type of concrete	Designed Concrete
Compressive strength class	C25/30
Water/ (cement + K x addition) ratio	0.56
Slump	75 ± 25 mm
Minimum cement content, kg/m ³	330
Maximum aggregate size, mm	20
Type of production	Initial Production
Type of batching plant	Dry Batching Plant (D)
Type of cement	Ordinary Portland Cement (CEM I 52.5N)
Type of admixture	Premier Structure Sdn Bhd- Water Retarding Admixture

Source of cement : Negeri Sembilan Cement Industries Sdn Bhd (PPS Reg. No.: 1151118PR0059)
Source of coarse aggregate : CS Quarry Sdn Bhd (CS Quarry)
Source of fine aggregate : Good Star Trading
Source of admixture : Premier Structure Sdn Bhd
Source of water : Underground water

End of list

*This page is not valid if it is not printed or displayed together with certificate on the front page
Page 2 of 2*