

CERTIFICATE FOR

**PRODUCT CERTIFICATION SCHEME**

Based on an audit and signed contract agreement,  
**TRANS CERTIFICATION & INSPECTION (TRANS),**  
it is hereby certified that

***NAME AND ADDRESS (CERTIFICATE HOLDER)***

SY READYMIX SDN. BHD.  
9450, Kampung Baru Rasah,  
70300 Seremban,  
Negeri Sembilan

***NAME AND ADDRESS (MANUFACTURER)***

SY READYMIX SDN. BHD. (PERMAI PLANT)  
9450, Kampung Baru Rasah,  
70300 Seremban,  
Negeri Sembilan

***PLANT IDENTIFICATION***

SRSB-05-D-01

has complied with the requirements specified in the

**MS EN 206: 2016, CIS 21: 2018 and the Certification Scheme Requirement of TRANS**

under the Product Certification License Scheme

Validity Period:

This certificate is valid from **(05/04/2024)** to **(04/04/2025)**

**Issue 1: Certified since 05/04/2024**

The validity of Certificate is subject to regular surveillance audits.

Authorised by:



**NURFARISHA SHAFIQA BINTI ZAINAL**  
**MANAGING DIRECTOR**

Certification Mark:



BRAND: N/A

Particulars of Producer's Concrete Code		
Concrete Code	G20	G25
Type of concrete	Designed Concrete	Designed Concrete
Compressive strength class	C16/20	C20/25
Water/cement ratio	0.53	0.50
Slump	50 - 90 mm	50 - 90 mm
Minimum cement content, kg/m <sup>3</sup>	340	360
Maximum aggregate size, mm	20	20
Type of production	Initial Production	Initial Production
Type of batching plant	Dry Batching Plant (D)	Dry Batching Plant (D)
Type of cement	Ordinary Portland Cement (CEM I 52.5N)	Ordinary Portland Cement (CEM I 52.5N)
Type of admixture	85RA – Retarding Admixture P150 – Superplasticising Admixture	85RA – Retarding Admixture P150 – Superplasticising Admixture

Particulars of Producer's Concrete Code	
Concrete Code	G30
Type of concrete	Designed Concrete
Compressive strength class	C25/30
Water/cement ratio	0.45
Slump	50 - 90 mm
Minimum cement content, kg/m <sup>3</sup>	400
Maximum aggregate size, mm	20
Type of production	Initial Production
Type of batching plant	Dry Batching Plant (D)
Type of cement	Ordinary Portland Cement (CEM I 52.5N)
Type of admixture	85RA – Retarding Admixture P150 – Superplasticising Admixture

*This page is not valid if it is not printed or displayed together with certificate on the front page Page 2 of 3*

Source of cement : Hume Cement Sdn Bhd (PPS Reg. No.: 1160307PK0106)  
Source of coarse aggregate : Bertam Capital Sdn Bhd (Bertam Quarry)  
Source of fine aggregate : Pentamas (Kuantan) Sdn Bhd (Sungai Pahang)  
Source of admixture : Premier Structure Sdn Bhd  
Source of water : Syarikat Air Negeri Sembilan

FOR WEBSITE VIEW ONLY

**End of list**

*This page is not valid if it is not printed or displayed together with certificate on the front page Page 3 of 3*

This certificate is granted subject to the terms and conditions as stated in the Certification Agreement