

CERTIFICATE FOR

PRODUCT CERTIFICATION SCHEME

Based on an audit and signed contract agreement,
TRANS CERTIFICATION & INSPECTION (TRANS),
it is hereby certified that

NAME AND ADDRESS (CERTIFICATE HOLDER)

PNS READYMIX SDN. BHD.
Lot 4023, Jalan Pajam, Kampung Gebok,
71700 Mantin,
Negeri Sembilan

NAME AND ADDRESS (MANUFACTURER)

PNS READYMIX SDN. BHD. (PAJAM PLANT)
Lot 4023, Jalan Pajam, Kampung Gebok,
71700 Mantin,
Negeri Sembilan

PLANT IDENTIFICATION

PRSB-05-D-01

has complied with the requirements specified in the

MS EN 206: 2016, CIS 21: 2018 and the Certification Scheme Requirement of TRANS

under the Product Certification License Scheme

Validity Period:

This certificate is valid from **(27/05/2024)** to **(26/05/2025)**

Issue 1: Certified since 27/05/2024

The validity of Certificate is subject to regular surveillance audits.

Authorised by:



NURFARISHA SHAFIQA BINTI ZAINAL
MANAGING DIRECTOR



Certification Mark:



BRAND: N/A

Particulars of Producer's Concrete Code		
Concrete Code	G20	G25
Type of concrete	Designed Concrete	Designed Concrete
Compressive strength class	C16/20	C20/25
Water/cement ratio	0.53	0.50
Slump	50 - 90 mm	50 - 90 mm
Minimum cement content, kg/m ³	340	360
Maximum aggregate size, mm	20	20
Type of production	Initial Production	Initial Production
Type of batching plant	Dry Batching Plant (D)	Dry Batching Plant (D)
Type of cement	Ordinary Portland Cement (CEM I 52.5N)	Ordinary Portland Cement (CEM I 52.5N)
Type of admixture	85RA – Retarding Admixture P150 – Superplasticising Admixture	85RA – Retarding Admixture P150 – Superplasticising Admixture

Particulars of Producer's Concrete Code	
Concrete Code	G30
Type of concrete	Designed Concrete
Compressive strength class	C25/30
Water/cement ratio	0.45
Slump	50 - 90 mm
Minimum cement content, kg/m ³	400
Maximum aggregate size, mm	20
Type of production	Initial Production
Type of batching plant	Dry Batching Plant (D)
Type of cement	Ordinary Portland Cement (CEM I 52.5N)
Type of admixture	85RA – Retarding Admixture P150 – Superplasticising Admixture

This page is not valid if it is not printed or displayed together with certificate on the front page Page 2 of 3

Source of cement : Hume Cement Sdn Bhd (PPS Reg. No.: 1160307PK0106)
Source of coarse aggregate : Bertam Capital Sdn Bhd (Bertam Quarry)
Source of fine aggregate : Pentamas (Kuantan) Sdn Bhd (Sungai Pahang)
Source of admixture : Premier Structure Sdn Bhd
Source of water : Syarikat Air Negeri Sembilan

FOR WEBSITE VIEW ONLY

End of list

This page is not valid if it is not printed or displayed together with certificate on the front page Page 3 of 3

This certificate is granted subject to the terms and conditions as stated in the Certification Agreement

TRANS CERTIFICATION & INSPECTION SDN BHD,
(NO : 1257088 - T)

B30, Tingkat 1, Jalan IM 2/5, Bandar Indera Mahkota,
25200 Kuantan, Pahang. MALAYSIA
Tel: 609-5751333

Version/Date: 2.0/02.05.2023

E : info@transcert.com.my | W : www.transcert.com.my