

CERTIFICATE NO: TCI-PC-004-2023

CERTIFICATE FOR

PRODUCT CERTIFICATION SCHEME

Based on an audit and signed contract agreement,
TRANS CERTIFICATION & INSPECTION (TRANS),
it is hereby certified that

NAME AND ADDRESS (CERTIFICATE HOLDER)

CH CONCRETE SDN BHD
No.23, Batu 39, Jalan Kuala Pilah,
72100 Bahau,
Negeri Sembilan.

NAME AND ADDRESS (MANUFACTURER)

CH CONCRETE SDN. BHD. (BAHAU PLANT)
No.23, Batu 39, Jalan Kuala Pilah,
72100 Bahau,
Negeri Sembilan.

PLANT IDENTIFICATION

CHCSB-05-D-01

has complied with the requirements specified in the

MS EN 206: 2016, CIS 21: 2018 and the Certification Scheme Requirement of TRANS

under the Product Certification License Scheme

Validity Period:

This certificate is valid from **(12/01/2025)** to **(11/01/2026)**

Issue 1: Certified since 12/01/2024

The validity of Certificate is subject to regular surveillance audits.

Authorised by:



NURFARISHA SHAFIQA BINTI ZAINAL
MANAGING DIRECTOR

Certification Mark:



BRAND: N/A

Particulars of Producer's Concrete Code	
Concrete Code	G30N
Type of concrete	Designed Concrete
Compressive strength class	C25/30
Water/cement ratio	0.49
Modified water/cement ratio	0.50
Slump	75 ± 25 mm
Minimum cement content, kg/m ³	350
Maximum aggregate size, mm	20
Type of production	Initial Production
Type of batching plant	Dry Batching Plant (D)
Type of cement	Ordinary Portland Cement (CEM I 52.5N)
Type of admixture	RS233 – Water- reducing & Retarding Admixture

Source of cement : Negeri Sembilan Cement Sdn Bhd (PPS Reg. No.: 1151029NS0054)
Source of coarse aggregate : LCS Marketing Sdn Bhd (Mentakab)
Source of fine aggregate : PD Brick Sdn Bhd (Port Dickson)
Source of admixture : Real Point Sdn Bhd
Source of water : Underground Water

End of list

This page is not valid if it is not printed or displayed together with certificate on the front page Page 2 of 2