

CERTIFICATE FOR

PRODUCT CERTIFICATION SCHEME

Based on an audit and signed contract agreement,
TRANS CERTIFICATION & INSPECTION (TRANS),
it is hereby certified that

NAME AND ADDRESS (CERTIFICATE HOLDER)

SY READYMIX SDN. BHD.
9450 Kampung Baru Rasah,
70300 Seremban,
Negeri Sembilan.

NAME AND ADDRESS (MANUFACTURER)

SY READYMIX SDN. BHD. (PERMAI PLANT)
9450, Kampung Baru Rasah,
70300 Seremban,
Negeri Sembilan.

PLANT IDENTIFICATION

SRSB-05-D-01

has complied with the requirements specified in the

MS EN 206: 2016, CIS 21: 2018 and the Certification Scheme Requirement of TRANS

under the Product Certification License Scheme

Validity Period:

This certificate is valid from **(05/04/2025)** to **(04/04/2026)**

Issue 1: Certified since 05/04/2024

The validity of Certificate is subject to regular surveillance audits.

Authorised by:

NURFARISHA SHAFIKA BINTI ZAINAL
MANAGING DIRECTOR



ACB 041

FOR WEBSITE VIEW ONLY

Certification Mark:



BRAND: N/A

Particulars of Producer's Concrete Code		
Concrete Code	G20N	G25N
Type of concrete	Designed Concrete	Designed Concrete
Compressive strength class	C16/20	C20/25
Water/cement ratio	0.55	0.50
Modified Water/cement ratio	0.56	0.51
Slump	50 - 90 mm	50 - 90 mm
Minimum cement content, kg/m ³	320	360
Maximum aggregate size, mm	20	20
Type of production	Initial Production	Initial Production
Type of batching plant	Dry Batching Plant (D)	Dry Batching Plant (D)
Type of cement	Ordinary Portland Cement (CEM I 52.5N)	Ordinary Portland Cement (CEM I 52.5N)
Type of admixture	85RA – Retarding Admixture P150 – Superplasticising Admixture	85RA – Retarding Admixture P150 – Superplasticising Admixture

Particulars of Producer's Concrete Code	
Concrete Code	G30N
Type of concrete	Designed Concrete
Compressive strength class	C25/30
Water/cement ratio	0.45
Modified Water / cement ratio	0.46
Slump	50 - 90 mm
Minimum cement content, kg/m ³	400
Maximum aggregate size, mm	20
Type of production	Initial Production
Type of batching plant	Dry Batching Plant (D)
Type of cement	Ordinary Portland Cement (CEM I 52.5N)
Type of admixture	85RA – Retarding Admixture P150 – Superplasticising Admixture

This page is not valid if it is not printed or displayed together with certificate on the front page Page 2 of 3

Source of cement : Negeri Sembilan Cement Sdn Bhd (PPS Reg. No.: 1151029NS0054)
Source of coarse aggregate : KCC Industries (M) Sdn Bhd (Pagoh)
Source of fine aggregate : Pentamas (Kuantan) Sdn Bhd (Sungai Pahang)
Source of admixture : Premier Structure Sdn Bhd
Source of water : Syarikat Air Negeri Sembilan

End of list

This page is not valid if it is not printed or displayed together with certificate on the front page Page 3 of 3

FOR WEBSITE VIEW ONLY