

CERTIFICATE FOR

PRODUCT CERTIFICATION SCHEME

Based on an audit and signed contract agreement,
TRANS CERTIFICATION & INSPECTION (TRANS),
it is hereby certified that

NAME AND ADDRESS (CERTIFICATE HOLDER)

BUILDCON-CIMACO CONCRETE SDN BHD
Unit 1-1, 1st Floor Menara Penang Garden,
42A, Jalan Sultan Ahmad Shah
10050, Penang.

NAME AND ADDRESS (MANUFACTURER)

BUILDCON-CIMACO CONCRETE SDN. BHD (N07 PLANT)
Lot 20077 & 20078, Mukim12,
Sungai Bakap, Seberang Perai Selatan,
14200 Batu Kawan,
Pulau Pinang.

PLANT IDENTIFICATION

BCC-07-D-6 (N07)

has complied with the requirements specified in the

MS EN 206: 2016, CIS 21: 2018 and the Certification Scheme Requirement of TRANS

under the Product Certification License Scheme

Validity Period:

This certificate is valid from **(16/06/2025) to (15/06/2026)**

Issue 1: Certified since 16/06/2023

The validity of Certificate is subject to regular surveillance audits.



ACB 041



Authorised by:

NURFARISHA SHAFIQA BINTI ZAINAL
MANAGING DIRECTOR

Certification Mark:



BRAND: N/A

Particulars of Producer's Concrete Code	
Concrete Code	N3050MG2
Type of concrete	Designed Concrete
Compressive strength class	C25/30
Water/ (cement + K x addition) ratio	0.62
Modified water/ cement ratio	0.63
Slump	100 ± 25 mm
Minimum cement content, kg/m ³	327
Maximum aggregate size, mm	20
Type of production	Initial Production
Type of batching plant	Dry Batching Plant (D)
Type of cement	Ordinary Portland Cement (CEM I 52.5N)
Type of admixture	1. SP1 – Superplasticising Admixture 2. WRDA 96 – Retarding Admixture

Source of cement : Perak-Hanjoong Simen Sdn Bhd (PPS Reg. No.: 1160217PK0101)

Source of addition (Fly Ash) : Slag Cement Sdn Bhd (TNB Jana Manjung)

Source of coarse aggregate : Batu Tiga Quarry Sdn Bhd (Juru)

Source of fine aggregate : Batu Tiga Quarry Sdn Bhd (Juru)

Source of admixture : GCP Applied Technologies (Malaysia) Sdn Bhd

Source of water : Perbadanan Bekalan Air Pulau Pinang (PBAPP)

End of list

This page is not valid if it is not printed or displayed together with certificate on the front page
Page 2 of 2